

## Multi bag filter housing MBF 8-14

Multi bag filter housings are used where high capacities are needed. amafilter – LFC Lochem (Filtration Group Process Systems) multi bag filters are available for 8 up to 14 bags. Filtration Group bag filters are excellent for use in the filtration of liquids containing higher concentrations of coarse solids. They are particularly beneficial when handling batches of (various) liquids. They are also especially suitable for end filtration or polishing of liquids with extremely low concentrations of solids.

### Features

- Easy to use, good interior sealing and accessibility
- Suitable to filtrate hazardous and non-hazardous liquid media as per PED 2014/68/EU directive
- Strong stainless steel support basket for low flow resistance and maximum utilisation of entire surface area
- Slightly conical support basket for easy filter bag removal
- Perfect sealing between unfiltered liquid and filtered liquid is achieved by a bag retainer. The filter bag seals with a felt-covered Snap-Collar ring or plastic seal which tightly fits into the support basket
- Liquid displacement cover: no liquid runs over the side when opening the filter
- Liquid displacer units are available to reduce the liquid volume inside the filter bags

### Filter Bags

Filtration Group supplies a wide range of filter bags in different materials, pore sizes, dimensions and models to fit in our housings as well as those of other manufacturers. For detailed information about amaFlow filter bags, please visit our website [www.ama-lfc.com](http://www.ama-lfc.com).



## Multi bag filter housing



### Typical application

- Filtration of (non-) hazardous liquids


### Standard Specification

- Design: ASME
- According: PED 2014/68/EU
- Design pressure: -1 / 6 bar(g)
- Design temperature: -10 / 150°C
- Recommended maximum pressure difference: 2.5 bar
- Operating temperature: depending on the filter media and gaskets used
- The filters are standard manufactured of stainless steel. Other materials on-request.
- Available for size 2 filter bags
- Suitable for 8 up to 14 filter bags
- Filtration area 4 up to 7 m<sup>2</sup>
- Mesh support baskets
- Spherical cover with a hydraulically operated davit for cover lifting
- Cover closure with eye bolts with handles
- Four brackets on models with 8-14 bags
- O-ring material: standard EPDM. Other materials on-request such as FPM/Viton® or silicone
- FDA compliant on-request

### Special models to meet your requirements

Other models suitable for higher temperatures, higher pressure, other material (Duplex, Monel) or size 1 are available on-request.

→ [www.ama-lfc.com](http://www.ama-lfc.com)



## Ordering information

Example: 1 2 3 / 4 - 5  
 MBF 2 - 8/4-316L

- |          |  |  |
|----------|--|--|
| <b>1</b> | <b>Type</b>                            | = MBF  |
| <b>2</b> | <b>Dimensions</b>                      | = size 2<br>180  |
| <b>3</b> | <b>Number of filter bags</b>           | = 8, 12, 14  |
| <b>4</b> | <b>Filtration area [m<sup>2</sup>]</b> | = 4, 6, 7  |
| <b>5</b> | <b>Material</b>                        | 304L = stainless steel 1.4306<br>316L = stainless steel 1.4404 |

## Dimensions\*

Model	A Ø [mm]	B Standout [mm]	C Width [mm]	D Height [mm]	N1 / N2 Inlet / Outlet	N3 Pressure gauge	N4 Vent	Volume [dm <sup>3</sup> ]	Empty weight [kg]
MBF 2-8/4	780	-	1180	1400	DN150/ PN16	DN50/ PN16	1"NPT	450	500
MBF 2-12/6	900	-	1300	1400	DN200/ PN16	DN50/ PN16	1"NPT	600	600
MBF 2-14/7	1100	-	1500	1400	DN250/ PN16	DN50/ PN16	1"NPT	900	800

\* Dimensions are for reference only. Use dimensional drawing for installation purposes. Subject to technical alteration without prior notice.

© 2018 Filtration Group BV. All rights reserved. All trademarks and registered trademarks are the property of their respective owners. All information and recommendations appearing in this document concerning the use of products described herein are based on tests believed to be reliable. However, it is the user's responsibility to determine the suitability for his own use of such products. Since the actual use by others is beyond our control, no guarantee, expressed or implied, is made by Filtration Group BV as to the effects of such use or the results to be obtained. Filtration Group BV assumes no liability arising out of the use by others of such products. Nor is the information herein to be construed as absolutely complete, since additional information may be necessary or desirable when particular or exceptional conditions or circumstances exist or because of applicable laws or government regulations.